



## C

! "#\$%" () \*"+) () &-. /&' () \*"+) () &0\$12(3&"18)"5 (&67()#2"+)/&8(19(+#\$: ()&\$1(& \$)(3&"+&1() \*"+) ()#&"&(\$9<&67()#2"+&  
\$+3&5\$=&+ "#)75#&?&37(&"&1"7+32+: /&

&  
! " #\$\$%&' () \*+, \$+- . - . /+\*\$+0\$1+) 2&) 3,+4) +' 5' 6' 87) +\* \$71' (+5' 71) +\$9&(\$:) 3, ;+0\$1+3\$%& , ) +\$(&+<+. - ! +, \$+8) +  
= ' <; >) +\$(&+ 71+%' (?) , +' () ' ;+6<+>4634+0\$1(+81; 6<); ;+\$&) (' , ) ;+H+B) ;&\$<; ) ;+CD+


| Market  | Higher                               | Lower | Same | Net* |
|---|--------------------------------------|-------|------|------|
| Warehouse   | 28%                                  | 39%   | 33%  | -11% |
| Other Healthcare (e.g., clinic, testing or screening facility, medical lab) | 27%                                  | 41%   | 32%  | -14% |
| Hospital  | 22%                                  | 52%   | 26%  | -30% |
| Water/Sewer   | 18%                                  | 53%   | 29%  | -35% |
| Multifamily Residential   | 10 11 0 0 Tm /TT16 1 Tf (18%) TjET @ |       |      |      |

! " #\$\$%&' () \*%, --#.#/0#%1#\$2##/%' 31#.%.%4-%56,78#.9%(/+%:42#.9%#\*; 4/\*#\*%(\*% #.0#/\$/%4-%4\$()< +

+  
- " E4' ,+34' <F) ;+\*\$+0\$1+) 2&) 3,+6<+0\$1(+6(%6;+4)' \*3\$1<, +<+. - ! H+B) ;&\$<; ) ;+CD+

! " +J\$>+>\$17\*+0\$1+\*) ;3(68)+0\$1(+31(()<,+;6,1' ,6\$<6<+676<F+; ' 7' (6) \*+' <\*+4\$1(70+3(' 9,+&\$;6,6\$<; H+ +B) ;&\$<; ) ;+CD+

+  
C" K\$+0\$1)2&)3,'<0+34'<F);+6<+,4)+'5'67'8676,0+\$9+4\$1(70+3('9,+\$(+;7'(6)\*+&)(;\$<<)7+\$5)(+,4)+3\$%6<F+! -+  
%\$<,4;H+B);&\$<;);A+CD+




+  
L" K6\*+0\$1(+6(%+6<3();)+\$(+\*)3();)+&'0+\$(+8)<)9%,+6<+-.-.H=%'(?+'77+,4',+'&&70@B);&\$<;);A+CD

+  
+  
+  
+  
+  
+  
+  
+  
+

M" +

+


0" +E 4' ,+' () +0\$1(+86FF) ; ,+3\$<3) (<;+9\$(+- . -! H+=%' (?+' 77+,4' ,+' &&70@B) ;&\$<;) ;A+CD+



+

+

! . " +E 4' ,+34' 77)< F) ;/ #9+' <0/+\*\$+0\$1+;) )+() F' (\*6< F+, 4)+; ' 9) ,0+' < \*+4)' 7,4+\$9+0\$1( #6(%P;+>\$ (?) ( ;+=%' (?+' 77+, 4' ,+  
' &&70@H+B) ;&\$<; ) ;A+CM



+

+  
!!" E 4' ,+8) ;,+\*) ;3(68) ;+0\$1( #6(%H+B) ;&\$<; ) ;A+CN+


+

+  
+  
+

+  
+

+

! -" E 4)<+0\$1+;)790&)(9\$(%+3\$<;,(13,6\$<+>\$(\$?/+\$+0\$1+\$&)(',)+' ;+' +1<6\$<+3\$<,(' 3,\$(+\$(+' <+\$&)<0;4\$&+3\$<,(' 3,\$(H+  
B);&\$<;);A+CD+



! | " R; ,6%' ,) +,4)+,\$,' 7+\* \$77' (+' %\$1<,+\$9+>\$(\$?+0\$1(+6(%+&)(9\$(%)) \*#<+- . -. "+B);&\$<;);A+CD+

! C" J\$>+%' <0+,,\$,' 7+) %&7\$0)) ;+\*\$) ;+0\$1(+6(%+)) %&7\$0+' ,+' 77+\$9+6, ;+7\$3' ,6\$<;H+B);&\$<;);A+CD+

